

96700-1165.ST25.txt SEQUENCE LISTING

```
<110>
       Lawrence, David S
<120>
       Protein Kinase Inhibitors and Methods for Identifying Same
<130>
       96700/1165
<140>
       US 10/589,029
<141>
       2007-06-21
       US 60/544,376
2004-02-13
<150>
<151>
<150>
       PCT/US05/004410
<151>
       2005-02-14
<160>
      17
<170>
      PatentIn version 3.3
<210>
       8
<211>
<212>
       PRT
<213>
       unknown
<220>
<223>
       sequence in protein kinase C-alpha inhibitor
<220>
<221>
<222>
       misc_feature
       (4)..(4)
<223>
       X= any amino acid or amino acid mimetic
<220>
<221>
       misc_feature
<222>
       (5)..(5)
       X= A or a Dap derivative
<223>
<220>
<221>
<222>
       misc_feature
       (6)..(6)
X= F, L or I
<223>
<220>
<221>
       misc_feature
<222>
       (7)..(7)
<223>
       X=R or K
<220>
<221>
<222>
       misc_feature
       (8)..(8)
       X= A or a Dap derivative
<223>
<400>
       1
Ala Arg Arg Xaa Xaa Xaa Xaa
<210>
<211>
```

```
96700-1165.ST25.txt
<212> PRT
<213>
       unknown
<220>
<223>
       sequence in protein kinase C-alpha inhibitor
<220>
<221>
       misc_feature
<222>
      (5)..(5)
<223>
      X = A or Dap
<220>
<221>
      misc_feature
<222>
      (8)..(8)
<223> X = Q \text{ or Dap}
<400> 2
Ala Arg Arg Gly Xaa Leu Arg Xaa Ala
1 5
<210>
       3
<211>
       5
<212>
      PRT
<213>
      unknown
<220>
<223>
       preferred consensus sequence for protein kinase C-alpha
<220>
<221>
       misc_feature
<222>
      (4)..(4)
<223>
      X= F, L or I
<220>
<221>
      misc_feature
<222>
       (5)..(5)
<223>
      X= R or K
<400> 3
Lys Gly Ser Xaa Xaa
1 5
<210>
      4
<211>
      6
<212>
      PRT
<213>
      unknown
<220>
```

consensus sequence for protein kinase C-beta I, protein kinase

C-beta II and protein kinase C-gamma.

<400>

4

Arg Lys Gly Ser Phe Lys

```
96700-1165.ST25.txt
<210>
        5
<211>
<212>
       PRT
<213>
       unknown
<220>
<223>
       consensus sequence for protein kinase C-delta
<220>
<221>
<222>
        misc_feature
       (1)..(1)
<223>
       X = K \text{ or } Q
<220>
       misc_feature (5)..(5)
<221>
<222>
<223>
       X = F \text{ or } M
<400> 5
Xaa Gly Ser Phe Xaa
1 5
<210>
       6
<211>
       5
<212>
       PRT
<213>
       unknown
<220>
<223>
       consensus sequence for protein kinase C-epsilon
<220>
<221>
       misc_feature
<222>
       (2)..(2)
<223>
       X = M \text{ or } K
<220>
       misc_feature
(4)..(4)
X= F or A
<221>
<222>
<223>
<220>
<221>
       misc_feature
<222>
       (5)..(5)
X= G, Y, D or F
<223>
<400> 6
Lys Xaa Ser Xaa Xaa
<210>
       7
<211>
       6
<212>
       PRT
<213>
       unknown
<220>
       consensus sequence for protein kinase C-eta
<223>
```

```
<400> 7
Arg Arg Ser Phe Arg Arg
       8
5
<210>
<211>
<212>
       PRT
       unknown
<213>
<220>
<223> consensus sequence for protein kinase C-zeta
<220>
       misc_feature
<221>
<222>
       (1)..(1)
<223>
      X = R, Q, K or E
<220>
<221>
       misc_feature
<222>
       (2)..(2)
\langle 223 \rangle X = M or G
<220>
<221>
       misc_feature
<222>
       (4)..(5)
<223>
      X = F or M
<400> 8
Xaa Xaa Ser Xaa Xaa
<210>
       9
       5
<211>
<212>
      PRT
<213>
      unknown
<220>
<223> consensus sequence for protein kinase C-mu
<220>
<221>
       misc_feature
<222>
       (1)..(1)
X= Q, K, E or M
<223>
<220>
<221>
<222>
       misc_feature
<222> (4)..(4)
<223> X= V, M or L
<220>
<221>
      misc_feature
<222>
       (5)..(5)
<223> X= A, M or V
<400> 9
Xaa Met Ser Xaa Xaa
```

```
5
1
<210>
       10
<211>
<212>
      PRT
<213>
      unknown
<220>
<223>
       consensus substrate sequence for protein kinase C-alpha
<220>
<221>
       misc_feature
<222>
      (6)..(6)
<223>
      X=F, L or I
<400> 10
Arg Arg Lys Gly Ser Xaa Arg
1 5
<210>
       11
       5
<211>
<212>
       PRT
<213>
      unknown
<220>
<223>
       sequence of peptide substrate used for PKC alpha, beta and gamma
       assays
<400>
       11
Ser Phe Arg Arg Arg
<210>
      12
<211>
       11
<212>
       PRT
<213>
       unknown
<220>
<223>
       sequence of peptide substrate for PKC epsilon and zeta assays
<400>
       12
Pro Arg Lys Arg Glu Gly Ser Val Arg Arg 1 10
<210>
       13
       9
<211>
<212>
       PRT
<213>
      unknown
<220>
<223>
       starting consensus sequence peptide for derivation of PKC
       inhibitors
```

<400>

13

```
96700-1165.ST25.txt
Arg Arg Gln Gly Ala Phe Met Tyr Phe 1
<210>
       14
<211>
       12
<212>
       PRT
<213>
       unknown
<220>
<223>
       sequence of peptide substrate for synthesis of PKC isoforms
<400>
Pro Arg Lys Arg Gln Gly Ser Val Arg Arg Arg Val 1 5 10
<210>
      15
<211>
      6
<212>
      PRT
<213> unknown
<220>
<223>
       sequence for peptide substrate for PKC alpha, beta and gamma
       assays
<400> 15
Ser Phe Arg Arg Arg Arg 1
<210>
       16
<211>
      12
<212> PRT
<213>
      unknown
<220>
<223>
       sequence for peptide substrate for PKC delta, epsilon, theta,
       eta, iota and zeta assays
<400>
Pro Arg Lys Arg Glu Gly Ser Val Arg Arg Arg Val 1 	 5 	 10
<210>
      17
<211>
      9
<212>
      PRT
<213>
      unknown
<220>
<223>
       protein sequence in inhibitor of PKC
<220>
      misc_feature
<221>
<222>
      (5)..(5)
<223>
      X = a Dap derivative
<400>
```

Page 6

96700-1165.ST25.txt

Arg Arg Gln Gly Xaa Phe Met Tyr Phe 1